

SPECIFICATION SHEET

Directional Lights

 1633 Staunton Ave

 Los Angeles, CA
 90021

 TEL.
 FAX.

 (800) 727-9262
 (800) 727-9957

 (213) 747-4500
 (213) 747-3234

E-Mail: sales@coronalighting.com

Aluminum

1

| PRODUCT | #: | CL | -505 |
|---------|----|----|------|
|---------|----|----|------|

Fixture Specifications:

Housing: Die-cast aluminum. 360 degree rotatable shroud.

- Finish: Polyester UV powder coated, available in BK-Black, BZ-Bronze, GT-Granite, RT-Rust, VG-Verde Green, WH-White.
- Lens: Clear, tempered, and heat resistant glass.
- **Socket:** Top grade fixed ceramic bi-pin socket, with lamp retension clip to securely hold lamp in place.
- Lamp: 12V, MR-16, 35W max. Available in LED (3.5W & 5W) or without lamp. See the Lamp Guide below for more information.
- Wiring: Fixture is prewired with a 3ft 18-2 SPT1-W direct burial cord. Wire connector sold seperately. Universal connector (CX-839) and silicone filled wire nut (CX-854) are available from Corona Lighting.

| Gasket: | Silicone gasket for weather-tight sealing. |
|-------------------|---|
| Knuckle: | Adjustable die-cast aluminum knuckle with philips screw and ½" NPT threaded male hub on bottom. |
| Mounting Spike: | $8\frac{1}{2}$ " Black ABS spike with $\frac{1}{2}$ " NPT threaded male hub. |
| Electrical Notes: | A remote 12V transformer is required. Options are available from Corona Lighting. Voltage range for LED lamps are 9V-17V. Proper grease/lubricant is suggested on threaded parts during installation process. |
| Warranty: | One (1) year warranty on fixture housing against manufacturer's defects. |

| | BK- | Black finish sho | wn. | L 3.5V | E D V and 5 |) W | 2 ¹ / ₄ " | 21/2" |
|------------------------------|------------------|---------------------------------------|-------------|--|-----------------------------------|---|---------------------------------|-------|
| AVAILABLE LED LA | MPS (Co WATTS | orona LED lamps hav BEAI SPREAD | | vear limited warrar. COLOR & TEMP. | nty against man RATED HOURS | ufacturer's defects) HALOGEN EQUIVALENT | JOB INFORMATION | DATE: |
| L-ED16-3W-SP | 3.5 | 15° Spot | 270 | 27001 | 50.000 | | | DATE: |
| L-ED16-3W-SP | 3.5 3.5 | 15° Spot 45° Flood | 270 270 | 2700K 2700K | 50,000 50,000 | 25 Watt 25 Watt | JOB NAME & ADDRESS: | |
| L-ED16-3W-WF | 3.5 | 60° Wide Flood | 270 | 2700K | 50,000 | 25 Watt | | |
| L-ED16-5W-SP | 5 | 15° Spot | 350 | 2700K | 50,000 | 40 Watt | PRODUCT #: | |
| L-ED16-5W-FL | 5 | 45° Flood | 350 | 2700K | 50,000 | 40 Watt | | |
| L-ED16-5W-WF | 5 | 60° Wide Flood | 350 | 2700K | 50,000 | 40 Watt | TOTAL QUANTITY: | |
| L-ED16-COB5W-SP | 5 | 15° Spot | 450 | 2700K | 50,000 | 50 Watt | LAMP TYPE & WATTAGE: | |
| L-ED16-COB5W-FL | 5 | 38° Flood | 450 | 2700K | 50,000 | 50 Watt | | |
| L-ED16-COB5W-WF | 5 | 60° Wide Flood | 450 | 2700K | 50,000 | 50 Watt | TRANSFORMER: | |
| L-ED16-COB5W-SP3K | 5 | 15° Spot | 470 | 3000K | 50,000 | 50 Watt | CONTRACTOR: | |
| L-ED16-COB5W-FL3K | 5 | 38° Flood | 470 | 3000K | 50,000 | 50 Watt | | |
| L-ED16-COB5W-WF3K | 5 | 60° Wide Flood | 470 | 3000K | 50,000 | 50 Watt | SPECIFIER: | |
| Single color MR-16 LED avail | able in AM | BER. BLUE. GREEN | . PURPLE. P | RED and VIOLET | | | | |

Single color MR-16 LED available in AMBER, BLUE, GREEN, PURPLE, RED and VIOLET

• When ordering LED lamp with a fixture your part number should follow the format below:



Example: CL-505-GT-L-ED16-5W-FL

CL - 505 - GT - L-ED16 - 5W - FL
 Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixure without further notification.




ACCESSORIES SHEET

PRODUCT # : CL-505

Mounting Pedestals

| CX-601-BK | 1" PVC Mounting Pedestal, 1/2" NPT, Black |
|-----------|--|
| CX-601-VG | 1" PVC Mounting Pedestal, ½" NPT, Verde Green |
| CX-603-BK | 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, Black |
| CX-603-VG | 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub on top, Verde Green |
| | 10" |



CX-603-BK

| CX-604-BK | 1" PVC Adjustable Mounting Pedestal, ½" NPT, Black |
|-----------|---|
| CX-621-BK | 1" PVC Cap, ½" NPT, Black |
| CX-621-VG | 1" PVC Cap, 1/2" NPT, Verde Green |
| CX-622-BK | 2" PVC Cap, ½" NPT, Black |
| CX-622-VG | 2" PVC Cap, 1/2" NPT, Verde Green |
| CX-624-BK | 3" PVC Cap, ½" NPT Female Brass Hub, Black |
| CX-624-VG | 3" PVC Cap, 1/2" NPT Female Brass Hub, Verde Green |
| | |





Ground Spikes

| CX-642-BK | 8.5" ABS Spike, ½" NPT, Black |
|-----------|----------------------------------|
| CX-642-BZ | 8.5" ABS Spike, ½" NPT, Bronze |
| CX-643-BZ | 8.5" ABS Spike, 1/2" NPT, Bronze |
| - | 10½" |
| | |

CX-647-BK

| CX-646-BK | 8" ABS Spike, ½" NPT, Black |
|-----------|--|
| CX-646-BR | 8" ABS Spike, ½" NPT, Natural Brass |
| CX-646-SS | 8" ABS Spike, ½" NPT, Stainless Steel |
| CX-647-BK | 10.5" Heavy Duty ABS Spike, ½" NPT, Black |

1633 Staunton Ave Los Angeles, CA 90021 TEL. FAX. (800) 727-9262 (800) 727-9957 (213) 747-4500 (213) 747-3234

E-Mail: sales@coronalighting.com

```
•Directional Lights
```

Mounting Canopies

| J . | |
|-----------|---|
| CX-701-BK | Aluminum Round Canopy , ½ NPT, Black |
| CX-702-BK | Aluminum Rectangular Canopy, ½ NPT, Black |
| CX-703 | Aluminum tree mount canopy ½ NPT Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-720 | Aluminum Tree mount Canopy with 9" Rubber Strap stretches to 14" Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-721 | Aluminum Tree mount Canopy with 15" Rubber Strap stretches to 22" Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-722 | Aluminum Tree mount Canopy with 22" Rubber Strap stretches to 33" Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-723 | Aluminum Tree mount Canopy with 31" Rubber Strap stretches to 45" Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-724 | Aluminum Tree mount Canopy with 41" Rubber Strap stretches to 61" Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |

Mounting Risers

| CX-671 | 6" Aluminum Riser, ½ NPT Male/Female Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
|--------|--|
| CX-672 | 12" Aluminum Riser, ½ NPT Male/Female Finishes: BK - Black, BZ - Bronze, GR - Green, GT - Granite, RT - Rust, VG - Verde Green, WH - White |
| CX-673 | 18" Aluminum Riser, ½ NPT Male/Female Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White |
| | |
| | СХ-671-ВК 6″ |
| | |
| | CX-672-BK 12" |

CX-673-BK 18"



ACCESSORIES SHEET

Directional Lights

1633 Staunton Ave Los Angeles, CA 90021 TEL. FAX. (800) 727-9262 (800) 727-9957 (213) 747-4500 (213) 747-3234

E-Mail: sales@coronalighting.com

Aluminum

PRODUCT # : CL-505

Mounting Brackets



Special Lenses & Honeycomb Louvers MR-16 Snap-on holder, Silver Plated MR-16 honeycomb louver, Black CX-240-AM MR-16 color lens, Amber CX-240-BL MR-16 color lens, Blue CX-240-GR MR-16 color lens, Green CX-240-RD MR-16 color lens, Red CX-240-YL MR-16 color lens, Yellow MR-16 lens, Linear Spread MR-16 lens, Frosted MR-16 lens, Prismatic

• For MR-16 Lenses and Louvers, you will need the CX-238



