

SPECIFICATION SHEET

1633 Staunton Ave Los Angeles, CA 90021

TEL.

(800) 727-9957 (800) 727-9262 (213) 747-3234 (213) 747-4500

E-Mail: sales@coronalighting.com

PRODUCT #: CL-515

Directional Lights

Aluminum

Fixture Specifications:

WH- White.

12V, MR-16, 35W max.

Top grade ceramic bi-pin socket, with retention clip

Available in LED (3.5W & 5W) or without lamp.

See the Lamp Guide below for more information.

Housing: Diecast aluminum. Gasket: Silicone "O" ring seals face plate to housing providing

weather-tight protection.

Finish: Polyester UV powder coated, available in BK-Black, BZ- Bronze, GT- Granite, RT- Rust, VG- Verde Green, Knuckle: Cast aluminum adjustable knuckle with a phillips

shaped screw. 1/2" NPT threaded male hub on bottom.

Lens: Clear, tempered, and heat resistant glass. Mounting Spike: 8" Black ABS spike with 1/2" NPT threaded female

Electrical Notes: A remote 12V transformer is required. Options are

available from Corona Lighting.

Voltage range for LED lamps are 9V-17V. Proper grease/lubricant is suggested on threaded parts during installation process.

Warranty: One (1) year warranty on fixture and housing against

manufacturer's defects


Wiring: Fixture is prewired with a 3-ft 18-2 SPT1-W direct burial cord. Wire connector sold seperately. Universal connector (CX-839) and silicone filled wire nut (CX-854) are available from Corona Lighting.

Socket:

Lamp:







| AVAILABLE LED LAMPS (Corona LED lamps have a five (5) year limited warranty against manufacturer's defect | ;) |
|---|----|
|---|----|

| | | BEAM | | COLOR & | RATED | HALOGEN |
|--|-------|----------------|-------|---------|--------|------------|
| LAMP NUMBER | WATTS | SPREAD | LUMEN | TEMP. | HOURS | EQUIVALENT |
| L-ED16-3W-SP | 3.5 | 15° Spot | 270 | 2700K | 50,000 | 25 Watt |
| L-ED16-3W-FL | 3.5 | 45° Flood | 270 | 2700K | 50,000 | 25 Watt |
| L-ED16-3W-WF | 3.5 | 60° Wide Flood | 270 | 2700K | 50,000 | 25 Watt |
| L-ED16-5W-SP | 5 | 15° Spot | 350 | 2700K | 50,000 | 40 Watt |
| L-ED16-5W-FL | 5 | 45° Flood | 350 | 2700K | 50,000 | 40 Watt |
| L-ED16-5W-WF | 5 | 60° Wide Flood | 350 | 2700K | 50,000 | 40 Watt |
| L-ED16-COB5W-SP | 5 | 15° Spot | 450 | 2700K | 50,000 | 50 Watt |
| L-ED16-COB5W-FL | 5 | 38° Flood | 450 | 2700K | 50,000 | 50 Watt |
| L-ED16-COB5W-WF | 5 | 60° Wide Flood | 450 | 2700K | 50,000 | 50 Watt |
| L-ED16-COB5W-SP3K | 5 | 15° Spot | 470 | 3000K | 50,000 | 50 Watt |
| L-ED16-COB5W-FL3K | 5 | 38° Flood | 470 | 3000K | 50,000 | 50 Watt |
| L-ED16-COB5W-WF3K | 5 | 60° Wide Flood | 470 | 3000K | 50,000 | 50 Watt |
| Single color MR-16 LED available in AMBER, BLUE, GREEN, PURPLE, RED and VIOLET | | | | | | |

JOB INFORMATION

TYPF. DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering LED lamp with a fixture your part number should follow the format below:

color lamp - wattage lamp angle CL - 515 - BK - L-ED16 -5W

Example: CL-515-BK-L-ED16-5W-FL

FL Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixure without further notification.



ACCESSORIES SHEET

1633 Staunton Ave Los Angeles, CA 90021

(800) 727-9957 (800) 727-9262

(213) 747-3234 (213) 747-4500

E-Mail: sales@coronalighting.com

PRODUCT # : CL-515

Directional Lights

Aluminum

FAX.


Mounting Pedestals

| CX-601-BK | 1" PVC Mounting Pedestal, ½" NPT, Black |
|-----------|---|
| CX-601-VG | 1" PVC Mounting Pedestal, ½" NPT, Verde Green |
| CX-603-BK | 3" PVC Mounting Pedestal, ½" NPT Female Brass Hub |

on top, Black

CX-603-VG 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub

on top, Verde Green



| CX-604-BK 1" | PVC Adjustable Mounting Pedestal, ½" NPT, Black |
|--------------|---|
|--------------|---|

CX-621-BK 1" PVC Cap, 1/2" NPT, Black

CX-621-VG 1" PVC Cap, 1/2" NPT, Verde Green

CX-622-BK 2" PVC Cap, 1/2" NPT, Black

CX-622-VG 2" PVC Cap, 1/2" NPT, Verde Green

CX-624-BK 3" PVC Cap, 1/2" NPT Female Brass Hub, Black

CX-624-VG 3" PVC Cap, 1/2" NPT Female Brass Hub, Verde Green

Mounting Canopies

| CX-701-BK | Aluminum Round Canopy , ½ NPT, Black |
|-----------|---|
| CX-702-BK | Aluminum Rectangular Canopy, ½ NPT, Black |

CX-703 Aluminum tree mount canopy 1/2 NPT

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-720 Aluminum Tree mount Canopy with 9" Rubber Strap

stretches to 14"

Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green,

WH- White

Aluminum Tree mount Canopy with 15" Rubber Strap CX-721

stretches to 22"

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

CX-722 Aluminum Tree mount Canopy with 22" Rubber Strap

stretches to 33"

Finishes: BK- Black, BZ- Bronze, GR- Green.

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-723 Aluminum Tree mount Canopy with 31" Rubber Strap

stretches to 45"

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

CX-724 Aluminum Tree mount Canopy with 41" Rubber Strap

stretches to 61"

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green, WH- White

- 4½"· CX-703-BK

Ground Spikes

CX-642-BK 8.5" ABS Spike, 1/2" NPT, Black CX-642-BZ 8.5" ABS Spike, 1/2" NPT, Bronze CX-643-BZ 8.5" ABS Spike, 1/2" NPT, Bronze



CX-647-BK

CX-646-BK 8" ABS Spike, 1/2" NPT, Black CX-646-BR 8" ABS Spike, 1/2" NPT, Natural Brass 8" ABS Spike, 1/2" NPT, Stainless Steel CX-646-SS CX-647-BK 10.5" Heavy Duty ABS Spike, 1/2" NPT, Black

Mounting Risers

CX-672

CX-671 6" Aluminum Riser, 1/2 NPT Male/Female Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green, WH- White

12" Aluminum Riser, 1/2 NPT Male/Female

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-673 18" Aluminum Riser, ½ NPT Male/Female

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White



CX-722-BK



Mounting Brackets

ACCESSORIES SHEET

1633 Staunton Ave Los Angeles, CA 90021

TEL. FAX. (800) 727-9262 (800) 727-9957 (213) 747-4500 (213) 747-3234

E-Mail: sales@coronalighting.com

PRODUCT #: CL-515

CX-700 Aluminum Bracket with 1/2" NPT

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-704 Aluminum Oval Bracket with ½" NPT Female Hub

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White





Directional Lights

Aluminum

Special Lenses & Honeycomb Louvers

CX-238 MR-16 Snap-on holder, **Silver Plated**CX-239 MR-16 honeycomb louver, **Black**

CX-240-AM MR-16 color lens, **Amber**

CX-240-AM MR-16 color lens, **Amber**CX-240-BL MR-16 color lens, **Blue**

CX-240-GR MR-16 color lens, **Green**

CX-240-RD MR-16 color lens, **Red**CX-240-YL MR-16 color lens, **Yellow**

CX-241 MR-16 lens, Linear Spread

CX-242 MR-16 lens, **Frosted**

CX-243 MR-16 lens, Prismatic

• For MR-16 Lenses and Louvers, you will need the CX-238



Cable Connectors

CX-854 Direct Burial Silicone Filled Wire Nut, Tan

CX-858 Speedy Cable Connector, Supply Cable up to 10-2, **Black**

CX-839 Universal cable connector, Supply cable up to 8-2,

one/Pack Black



