

# LWW-HO-RGB

## High-Output Linear Color-Changing Wall Washer





LWW-HO-RGB is a Color-Changing Linear Wall washer that is a powerful LED flood light typically used for building facades, signs or any color-changing wall washing application. Multiple optical lens options provide a variety of lighting solutions. Available in narrow, medium, wide and elliptical optic options and compatible with DMX systems.

### SPECIFICATIONS

<b>OPERATING VOLTAGE</b>	24V DC
<b>POWER CONSUMPTION</b>	9W
<b>COLOR TEMPERATURE</b>	RGB
<b>OPTICS</b>	10°   15°   30°   15° x 40°
<b>MAX DAISY CHAIN</b>	12 Feet
<b>CONTROL SYSTEM</b>	DMX
<b>LED BINNING</b>	3-Step MacAdam Ellipse
<b>AMBIENT TEMP</b>	-40°F ~ 122°F (-40°C ~ 50°C)
<b>HOUSING MATERIAL</b>	Extruded Aluminum
<b>IP RATING</b>	IP65
<b>LUMEN MAINTENANCE</b>	50,000 Hrs

### FEATURES

- 9W per Ft.
- Linkable
- Proprietary Optical Technology
- DMX ready
- Facade Wall Washing
- Graze Lighting
- Signage
- 5-Year Warranty



# LWW-HO-RGB

## High-Output Linear Color-Changing Wall Washer



### STANDARD ORDERING GUIDE


Model	Color Temp	Length	Optics	Mounting Option
LWW-HO	RGB RGB Color Changing	12 12" (9W)	10 10°	FMB Fixed Mounting Bracket
		24 24" (18W)	15 15°	STB Standard Tilting Bracket
		48 48" (36W)	30 30°	ETB Extended Tilting Bracket
			15X40 15° x 40°	

# LWW-HO-RGB


## High-Output Linear Color-Changing Wall Washer

### ACCESSORIES


**LWW-HO-RGB-FMB**  
Fixed Mounting Bracket  
(included with every fixture)



**LWW-HO-RGB-STB**  
Standard Tilting Bracket  
(sold separately)



**LWW-HO-RGB-ETB**  
Extended Tilting Bracket  
(sold separately)




# LWW-HO-RGB


## High-Output Linear Color-Changing Wall Washer

### ACCESSORIES

**LWW-HO-RGB-12-SDLV**  
**LWW-HO-RGB-20-SDLV**  
**LWW-HO-RGB-24-SDLV**  
**LWW-HO-RGB-40-SDLV**  
**LWW-HO-RGB-48-SDLV**  
12", 20", 24", 40", 48"  
Symmetric Louver  
(sold separately)



**LWW-HO-RGB-12-ADLV**  
**LWW-HO-RGB-20-ADLV**  
**LWW-HO-RGB-24-ADLV**  
**LWW-HO-RGB-40-ADLV**  
**LWW-HO-RGB-48-ADLV**  
12", 20", 24", 40", 48"  
Asymmetric Louver  
(sold separately)



**LWW-HO-RGB-LNK-10**  
**LWW-HO-RGB-LNK-36**  
**LWW-HO-RGB-LNK-72**  
10", 36", 72"  
Link Extension Cable  
(sold separately)



**LWW-HO-RGB-72-BK**  
72" Hardwire Cable  
(sold separately)



# LWW-HO-RGB

## High-Output Linear Color-Changing Wall Washer

### COMPATIBLE WALL CONTROLLERS

#### RGB CT600

MULTI-FUNCTION RGBW WALL CONTROLLER

**INPUT VOLTAGE**

5V DC, 1A

**OUTPUT SIGNAL**

RF 2.4GHz + DMX512

**CONTROL**


4 ZONES

**WORKING TEMP**

-20°C ~ 40°C

**DIMENSIONS**

LxWxH (5.19"x 7.08"x 1.38")



#### RGB-SDE3

MULTI-FUNCTION RGBW WALL CONTROLLER

**INPUT POWER**

6V DC 0.6A

**OUTPUT SIGNAL**

DMX512 (x2)

**PROGRAMMABILITY**

PC, MAC,  
Tablet, Smartphone

**AVAILABLE COLORS**

Black / White

**CONNECTIONS**

USB, Ethernet, RS232,  
Clock, 8dry contact ports,  
5V output relay

**MEMORY**

microSD card

**WORKING TEMP**


-10°C ~ 45°C

**WEIGHT (gross)**

247g

**DIMENSIONS**

LxWxH (5.75"x 4.17"x 0.43")



# LWW-HO-RGB

## High-Output Linear LED Wall Washer

### COMPATIBLE DRIVERS

#### PSHK SERIES

NON-DIMMING W/ JUNCTION BOX

<b>PSHK-30W-24V-UNV</b>	CLASS 2	6.5" X 3.6" X 1.02"
<b>PSHK-60W-24V-UNV</b>	CLASS 2	7.4" X 3.62" X 1.02"
<b>PSHK-96W-24V-UNV</b>	CLASS 2	8.66" X 3.66" X 1.61"
<b>PSHK-150W-24V-UNV</b>		10.24" X 4.06" X 1.81"
<b>PSHK-200W-24V-UNV</b>		10.24" X 4.06" X 1.81"
<b>PSHK-300W-24V-UNV</b>		10.94" X 4.25" X 1.81"

