

## SPECIFICATION SHEET

JOB NAME: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 QUOTE/REF#: \_\_\_\_\_



The ULD2800 Series is a high-powered, 120V under cabinet fixture that combines style and efficiency. The ULD2800 Series comes in sleek design perfect for any cabinet or countertop lighting application.

### FEATURES


- Switchable Color Temperature
- 120V NO TRANSFORMER REQUIRED
- Dimmable with ELV/TRIAC dimmers
- Linkable up to 400W
- Superior color rendering index 90 CRI
- Seamless connector included
- **Title 24 JA8 Compliant**
- 3000K, 3500K, 4000K
- 4 Different Sizes Available
- Complies with Energy Star certifications
- **5 YEAR WARRANTY**

### SPECIFICATIONS

<b>INPUT VOLTAGE</b>	120V
<b>POWER CONSUMPTION</b>	10W per foot
<b>LUMEN OUTPUT</b>	750 Lumens per Ft
<b>CCT</b>	Switchable: 3000K, 3500K and 4000K
<b>CRI</b>	90+
<b>EFFICACY (lm/W)</b>	>75
<b>DIMMING</b>	ELV/TRIAC Dimming
<b>POWER FACTOR</b>	≥0.9
<b>MAXIMUM RUN LENGTH</b>	Linkable up to 400W
<b>MOUNTING</b>	Surface
<b>OPERATING TEMP</b>	-10°C ~ 40°C
<b>RELATIVE HUMIDITY</b>	60%
<b>LUMEN MAINTENANCE</b>	50,000 hrs.
<b>FINISH OPTIONS</b>	Bronze, White
<b>CERTIFICATIONS</b>	ETL listed, Energy Star, TITLE 24 JA8
<b>DIMENSIONS</b>	1.1" width x 0.94" height

MODEL	ULD2812	ULD2816	ULD2824	ULD2832
<b>LENGTH</b>	12"	16"	24"	32"
<b>WATTS</b>	10W	13W	20W	26W
<b>LUMENS</b>	750	950	1500	2000

### DIMENSIONS



## COMPATIBLE ACCESSORIES



**ULD-JBA-WH** (white)  
**ULD-JBA-BZ** (bronze)

Direct Wire Junction Box w/ switch  
 6.25" x 35/8" x 1"

\*2 pcs Romex connectors  
 included with each unit



**ULD-JBS-WH**

Direct Wire Junction Box  
 3.56" x 1.73" x 1.21"



**ULD-OCS-JB-WH** (white)  
**ULD-OCS-JB-BZ** (bronze)

Direct Wire Junction Box w/ sensor



**ULD-PCA-72-WH** (white)  
**ULD-PCA-72-BK** (black)

AC Direct Plugin Cable  
 72" White Cable



**ULD-HWC-72-WH** (white)  
**ULD-HWC-72-BK** (black)

72" Hardwire connector



**ULD-SMC-WH** (white)  
**ULD-SMC-BZ** (black)

Seamless Connector



**ULD-LNK-6-WH** (white) 6" interlink cable  
**ULD-LNK-6-BK** (black) 6" interlink cable  
**ULD-LNK-12-WH** (white) 12" interlink cable  
**ULD-LNK-12-BK** (black) 12" interlink cable  
**ULD-LNK-24-WH** (white) 24" interlink cable  
**ULD-LNK-24-BK** (black) 24" interlink cable  
**ULD-LNK-72-WH** (white) 72" interlink cable  
**ULD-LNK-72-BK** (black) 72" interlink cable

# ULD2800 SERIES 120V Selectable CCT LED Undercabinet



## STANDARD ORDERING CODE

Model	Color Temp	FINISH
ULD	2812 - 12" 2816 - 16" 2824 - 24" 2832 - 32"	BZ - Bronze WH - White