


Canless Downlights

SnapTrim-Line: 3" Gimbal Downlights
Canless Series



8W



12W



35° Tilt 360° Rotation

Detail Specifications:

- Finish: White, Black, Custom
- IP54 Wet Location Rated
- Beam Angle: 38° standard, other options available
- Chip: COB Chip, R9 >50, CRI >90
- 3 Step MacAdam Ellipses
- Operating Temperature: -40° - 114° F
- Lens: Clear, non-yellowing
- Average life (L70) of 50,000 hours

Applications:

- General Recessed Lighting
- Residential & Multifamily
- Office and Meeting Rooms
- Education, Healthcare, Retail, Hospitality

Product Information:

- 5-CCT Selectable: 27/30/35/40/50K or warm dimming 30 to 18K
- Various sizes, finishes, and trims available
- Standard white round trim included: optional trims available
- Metal housing and trim for better heat dissipation
- Optional emergency backup available: delivers full lumens in EM mode up to 25W
- SnapTrim Canless: Spring clips with remote j-box eliminates can

Driver Options:

- 120V Triac Dimmable
- Built in 2.5Kv Surge Protector
- Flicker Free

Mounting & Installation:

- Cut Out Dimension: Ø2-15/16"
- Optional new construction plate available
- This fixture does not fit into a recessed can
- No housing needed in remodel applications, tension clips mount into 1/2" to 1.5" thick ceiling
- Can be removed from below the ceiling for service or replacement
- Pre-wired junction box with circuit wiring built in (3 in/ 3 out)

Certifications:

- ETL Listed for USA and CA
- Energy Star Certified
- CA Title 24 JA8-2022 CEC Listed
- 5 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017
- IC Rated and ASTM-E283 Air-Tight
- Complies with UL 263, ASTM E119, CAN ULC S101


5-CCT	27/30/35/40/50K
3WD	30-18K Warm Dimming

Series	Beam Angle	Emergency
LED-DLJBX-ADJ-3-8W-5CCT-WH-R 8W 600LM White Round Trim	(Blank)	(Blank)
LED-DLJBX-ADJ-3-8W-5CCT-BLK-R 8W 600LM Black Round Trim	38° Degree	No Emergency Backup
LED-DLJBX-ADJ-3-12W-5CCT-WH-R 12W 1,000LM White Round Trim	24D	EMB
LED-DLJBX-ADJ-3-12W-5CCT-BLK-R 12W 1,000LM Black Round Trim	24° Degree	Emergency Backup
LED-DLJBX-ADJ-3-6W-3WD-WH-R 6W 450LM White Round Trim	60D	
LED-DLJBX-ADJ-3-6W-3WD-BLK-R 6W 450LM Black Round Trim	60° Degree	


Optional Accessories (Order Separately)			
Trim Options	New Construction Plates	Extension Cables	Emergency Backup ¹ (field install)
DLJBX-ADJ-3-TRIM-WH-SQ White Square Trim	CUNV-NC-ICAT-7H Universal Plate	JBX-EXT-6'-TRI 6' Extension	LED-EMB-25W-HV -0/10V-2P Up to 24W fixtures
DLJBX-ADJ-3-TRIM-BLK-SQ Black Square Trim	CUNV-JBX-RI-XL Universal Rough In Plate Extra Long	JBX-EXT-10'-TRI 10' Extension	OPTIC-42X14-24D 24 Degree Field Install Lens
DLJBX-ADJ-3-TRIM-BN-R Brushed Nickel Round Trim		JBX-EXT-12'-TRI 12' Extension	OPTIC-42X14-60D 60 Degree Field Install Lens
DLJBX-ADJ-3-TRIM-BN-SQ Brushed Nickel Square Trim			

Specs and model numbers are subject to change with or without notice.

FEATURES



DIMENSIONS



Specs and model numbers are subject to change with or without notice.

ACCESSORIES



White (-WH-SQ)




Black (-BLK-SQ)




Nickel (-BN-R)



Nickel (-BN-SQ)



CUNV-NC-ICAT-7H
Universal Pre-Mounting Plate
13 7/8" x 15 1/8"



CUNV-JBX-RI-XL
7" x 26"



JBX-EXT
6' / 10' / 12' Extension Cable



LED-EMB-25W-HV-0/10V-2P



OPTIC-42X14-24D
OPTIC-42X14-60D

Model	Voltage	Watts	Lumens	Color	CRI
LED-DLJBX-ADJ-3-8W-5CCT-WH-R	120V	8w	600	27/30/35/40/50K	>90
LED-DLJBX-ADJ-3-8W-5CCT-BLK-R	120V	8w	600	27/30/35/40/50K	>90
LED-DLJBX-ADJ-3-12W-5CCT-WH-R	120V	12w	1000	27/30/35/40/50K	>90
LED-DLJBX-ADJ-3-12W-5CCT-BLK-R	120V	12w	1000	27/30/35/40/50K	>90
LED-DLJBX-ADJ-3-6W-3WD-WH-R	120V	6w	450	30-->18k	>90
LED-DLJBX-ADJ-3-6W-3WD-BLK-R	120V	6w	450	30-->18k	>90

TRIMS

Accessory	Description
DLJBX-ADJ-3-TRIM-WH-SQ	3" Gimbal Square Trim White Finish
DLJBX-ADJ-3-TRIM-BN-R	3" Gimbal Round Trim Brushed Nickel
DLJBX-ADJ-3-TRIM-BN-SQ	3" Gimbal Square Trim Brushed Nickel
DLJBX-ADJ-3-TRIM-BLK-SQ	3" Gimbal Square Trim Black Finish

CONSTRUCTION PLATES

Accessory	Description
CUNV-NC-ICAT-7H	1" 2"3" 3.5" 4" 5" 6" Universal Pre-Mounting New Construction Plate
CUNV-JBX-RI-XL	Universal tough in plate (Extra Long)

EXTENSION CABLE

Accessory	Description
JBX-EXT-6'-TRI	6" Extension Cable
JBX-EXT-10'-TRI	10" Extension Cable
JBX-EXT-12'-TRI	12" Extension Cable

EMERGENCY BACKUP

Accessory	Description
LED-EMB-25W-HV-0/10V-2P	Up to 24W fixtures

OPTICS

Accessory	Description
OPTIC-42X14-24D	24 Degree Field Install Lens
OPTIC-42X14-60D	60 Degree Field Install Lens

TESTED COMPATIBLE DIMMERS

Other dimmers may be compatible but have not been tested. Please contact us for more information.

TRIAC/ELV Dimmers

Lutron	Leviton	Legrand	Cooper
AYCL-153P	6633	ADTP703TU	9540
DV-600PR	6674	H703PTW	DAL06P
DVCL-153P	6602		
MACL-153MH	IPL06		
MRF2-6CL			
D-600P			
NTELV-300P			
S-600P			
CT-600P			
CTCL-153P			
TG-600P			
TCCL-153P			