

C-Line: Under Cabinet Fixture

Economical Models



Project:	Part #:
Type:	

Undercabinet Fixtures









Detail Specifications:

- Finishes: White
- IP Rating: Damp Location
- Beam Angle: 180°
- Chip: SMD 2835, R9 >50, CRI >90
- Operating Temperature: -4° 114° F
- · Lens: Frosted Acrylic, non-yellowing
- · Housing: Steel
- 5CCT: 27/30/35/40/50K
- · Average life (L70) of 25,000 hours

Application:

- Under Cabinet Lighting
- · Residential & Multifamily
- Task Lighting
- · Education, Healthcare, Retail, Hospitality

Product Information:

- · Even light distribution: no hotspots on the lens
- Instant-on to full brightness
- · On/Off toggle switch
- · Hardwire only
- Slim profile: only 1" thick

Driver Options:

- 120V Triac dimmable down to 10%
- THD: <20% (+/-5% tolerance), PF >0.9, 50/60Hz
- AC Driverless technology
- Flicker Free

Mounting & Installation:

- 3/8" flexible conduit or 3-wire romex
- Mounting knockouts behind diffuser cover

Certifications:

- ETL Listed for USA and CA
- · CA Title 24 JA8-2022 CEC Listed
- · 3 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017
- IC Rated and ASTM-E283 Air-Tight
- Complies with UL 263, ASTM E119, CAN ULC S101

Round Series

LED-EUC-11I-6W-5CCT-WH 450lm

LED-EUC-18I-8W-5CCT-WH 600lm

LED-EUC-24I-12W-5CCT-WH 900lm

LED-EUC-36I-15W-5CCT-WH


1,1250lm **LED-EUC-42I-18W-5CCT-WH** 1,350lm

Specs and model numbers are subject to change with or without notice. Optional Accessories please see page 3




C-Line: Under Cabinet Fixture

Economical Models




DIMENSIONS


EUC-11I




EUC-18I




EUC-24I




EUC-361



EUC-42I



KNOCKOUT DIMENSIONS





C-Line: Under Cabinet FixtureEconomical Models

Model	Voltage	Watts	Lumens	Color
LED-EUC-11I-6W-5CCT-WH	120V	6w	450	50/40/35/30/27K
LED-EUC-18I-8W-5CCT-WH	120V	8w	600	50/40/35/30/27K
LED-EUC-24I-12W-5CCT-WH	120V	12w	900	50/40/35/30/27K
LED-EUC-36I-15W-5CCT-WH	120V	15w	1,125	50/40/35/30/27K
LED-EUC-42I-18W-5CCT-WH	120V	18w	1,350	50/40/35/30/27K

DIMMER COMP A TIBILITY				
Brand	Model			
Lutron	MACL-153M LGCL-153PLH TAL06P-C1-K-L TGCL-153PH AYCL-153P DVSCCL-153P SCL-153P SCL-153P MSCL-OP-153M CTCL-153P	SELV-300P DVELV-300P DV-600-PR-LA DV-600PR-BL DV-600PR-WH S-2-LH CT-600PR-WH DVW-603-PGH-WH CT-600PR-IV S-600-PR-LA MA-T51H-WH		
Cooper	ASPIRE-9573 SKYE-SLC03P AAL06-C1-K-L	DEVINE-DLC03P SAL06P DAL06P-C1-K-L		
Leviton	6631	6633		

^{*}The listed dimmers have been tested and proven to work. Some discrepancies may exist due to different electrical work. These dimmers are recommended, but is not limited to other dimmers from working.

Specs and model numbers are subject to change with or without notice. Optional Accessories please see page 3