


Ball > Configure item number from attributes below.

	Finish	Blade Span	Blade Color	<b>Light Option</b>	<b>Control Option</b>
#BAL	-	-	-	-	-
	•	•	•	_	•
	<b>GW</b> Gloss White	<b>52</b> 52" Span	WH White	<b>NL</b> No Light	001 Fan Speed Only
	<b>BA</b> Brushed Alumi	inum <b>42</b> 42" Span	<b>AL</b> Aluminum	<b>652</b> 20W LED	<b>002</b> Fan & Light – 3 Wire
			MP Maple		003 Handheld Remote
					<b>004</b> Fan & Light – 2 Wire
					005 Wall/Remote Combo



## **Specifications**

- 153mm x 18mm AC motor with reverse switch on fan body
- Die cast aluminum construction
- 42" or 52" span, plywood blades
- Includes 6" and 16" down rods (longer options also available)
- Optional LED light: 20W, 90 CRI, 3000K, 1800 lumens (dimmable) behind opal glass diffuser; CA Title 24, JA8-2019 compliant
- Slope compatible up to 33°; adapter available for slopes up to 45°
- Designed by Ron Rezek
- ETL listed for dry and damp locations
- Weight: 16 lbs (7.3 kgs)

## Performance Data

LOWEST SPEED

RPM: 70 CFM: 1,631 Watts: 10.64 CFM/W: 153

HIGHEST SPEED

RPM: 205 CFM: 4,998 Watts: 69.28 CFM/W: 72

### **Energy Guide Data**

Average Energy Use 42 Watts

> Average Airflow 3,420 CFM

Yearly Energy Cost \$12

Average Efficiency 81 CFM/Watt

<sup>\*</sup> Performance and Energy Guide Data corresponds to the 52" blade span. For 42" Performance and Energy Guide data, visit www.modernfan.com.

<sup>\*\*</sup>Energy Guide Data represents weighted averages of low speed and high speed performance, assuming typical use (excluding light). For more information, visit www.modernfan.com.

## Ball



#### FAN FINISHES



### PLYWOOD BLADES

Plywood blades are constructed of furniture grade veneers, painted or stained as shown here. Natural variations may exist in woodgrains and finishes.



### BALL FAN CONTROLS

Selection of a control option is made at time of order and incorporated into the fan item number (except #FC-009A and #FC-009B which are sold as accessory items).



#### #FC-001 **Fan Speed Only Control** (no light)

For a single AC fan, providing four speeds. Not intended for a fan with light. Note: Not compatible with remote control.




# Fan & Light Control-3 Wire

For a single AC fan with LED light. providing four speeds and dimming function. Requires three wires from switch location to fan. Note: Not compatible with remote control.



#### #FC-004-LED Fan & Light RF Control-2 Wire

Designed for independent operation of a single AC fan or AC fan with LED light, providing three speeds and full range dimming (or "on/off" switching), using only one circuit (two wires). Includes RF wall control (with master power switch), switch plate and receiver.





#### #FC-005-LED **Wall/Remote Combo** RF Control-2 Wire

and comes with a wall mounting

bracket for handset.

Designed for independent operation of a single AC fan or AC fan with LED light, providing three speeds and full range dimming (or "on/ off" switching), using only one circuit (two wires). Includes RF handset, RF wall control (with master power switch), switch plate and receiver.



#### #FC-009A / #FC-009B **Multi-fan Speed Controls** for AC Fans

(no lights)

Sold as an accessory item, providing three speeds for multiple AC fans on a single switch leg. FC-009A for 2-3 fans FC-009B for 3-6 fans

Note: Not compatible with remote control. Control of fan lights must be accounted for separately with owner provided control on separate switch leg.

### DOWN RODS

The Ball ships standard with 6" and 16" down rods. Use the following part numbers to order accessory down rods.

	Finis	Finish		Length	
#DRD	-		-		
	•		•		
	GW	Gloss White	12	12"	
	ВА	Brushed Aluminum	24	24"	
			36	36"	
			48	48"	
			60	60"	
			72	72"	

#### SLOPE ADAPTER

The Ball will accommodate ceiling slopes up to 33 degrees. The #045 slope adapter can accommodate slopes exceeding 33 degrees and up to 45 degrees.

	Finis	sh
#045	-	
	•	
	GW	Gloss White
	ВА	Brushed Aluminum

The Modern Fan Co. tel 541-482-8545 toll free 888-588-3267 email info@modernfan.com website modernfan.com