# Lapa Flush

THE MODERN FAN CO

ETL LISTED US (INTERTEK)

Lapa Flush > Configure item number from attributes below.

	Finish	Blade Span	Blade Color	Light Option	Control Option
#LAP–FM –		–	–	–	–
	GW Gloss White	**50** 50" Span	**WH** White	**NL** No Light	**001** Fan Speed Only
	BN Bright Nickel		**NK** Nickel	**552** 17W LED	**002** Fan & Light – 3 Wire
	GV Galvanized		**SV** Silver		**003** Handheld Remote
	DB Dark Bronze		**BK** Black		**004** Fan & Light – 2 Wire
			MP Maple		**005** Wall/Remote Combo
			MG Mahogany		

Dimensions

6"
8.8"
9.8"
11.9"
7"
50"

Specifications

– 153mm x 18mm AC motor with reverse switch on fan body

– Stamped and spun steel construction

– 50" span, plywood blades

– Optional LED Light: 17W, 90 CRI, 3000K, 1600 lumens (dimmable) behind an opal glass diffuser; adds 3.5" to length of fan; CA Title 24, JA8-2019 compliant

– For flat ceilings only

– Designed by Ron Rezek

– ETL listed for dry and damp locations

– Weight: 16 lbs (7.3 kgs)

Performance Data

LOWEST SPEED
RPM: 70
CFM: 1,471
Watts: 11.13
CFM/W: 132

HIGHEST SPEED
RPM: 190
CFM: 4,719
Watts: 59.64
CFM/W: 79

Energy Guide Data

Average Energy Use
38 Watts

Average Airflow
3,196 CFM

Yearly Energy Cost
$11

Average Efficiency
85 CFM/Watt

Energy Guide Data represents weighted averages of low speed and high speed performance, assuming typical use (excluding light). For more information, visit www.modernfan.com.

Lapa Flush

Gloss White with
White Blades
(no light)

Galvanized with
Silver Blades
(no light)

Dark Bronze with
Mahogany Blades
and 552 LED Light

FAN FINISHES

Gloss White   Bright Nickel   Galvanized   Dark Bronze

PLYWOOD BLADES

Plywood blades are constructed of furniture grade veneers, painted or stained
as shown here. Natural variations may exist in woodgrains and finishes.

White   Nickel   Silver   Black   Maple   Mahogany

LAPA FLUSH FAN CONTROLS

Selection of a control option is made at time of order and incorporated into the fan item
number (except #FC-009A and #FC-009B which are sold as accessory items).

#FC-001
Fan Speed Only Control
(no light)

For a single AC fan, providing
four speeds. Not intended for
a fan with light. *Note: Not com-
patible with remote control.*

#FC-002
Fan & Light Control—3 Wire

For a single AC fan with LED light,
providing four speeds and dimming
function. Requires three wires from
switch location to fan. *Note: Not
compatible with remote control.*

#FC-003-LED
Handheld Remote RF Control

Designed for independent operation
a single AC fan or AC fan with LED
light, providing three speeds and full
range dimming (or "on/off" switching),
using only one circuit (two wires).
Includes RF handset, receiver, battery
and comes with a wall mounting
bracket for handset.

**#FC-004-LED Fan & Light
RF Control—2 Wire**

Designed for independent opera-
tion of a single AC fan or AC fan
with LED light, providing three
speeds and full range dimming
(or "on/off" switching), using only
one circuit (two wires). Includes
RF wall control (with master power
switch), switch plate and receiver.

#FC-005-LED
**Wall/Remote Combo
RF Control—2 Wire**

Designed for independent
operation of a single AC fan
or AC fan with LED light,
providing three speeds and
full range dimming (or "on/
off" switching), using only one
circuit (two wires). Includes
RF handset, RF wall control
(with master power switch),
switch plate and receiver.

#FC-009A / #FC-009B
**Multi-fan Speed Controls
for AC Fans**
(no lights)

Sold as an accessory item,
providing three speeds for multiple
AC fans on a single switch leg.
FC-009A for 2-3 fans
FC-009B for 3-6 fans
*Note: Not compatible with remote
control. Control of fan lights
must be accounted for separately
with owner provided control on
separate switch leg.*

MOUNTING

The Lapa Flush installs with a flat
mounting plate (included) for attachment to
an appropriately rated junction box.

The Lapa Flush is intended for flat,
low ceilings (approximately 8'0").
For higher ceilings and/or for sloped
ceilings, please select from one of our
down rod suspended models.