



SINCE 1926
Manufacturing quality products
for the electrical industry.

 Call Us
(908) 688-8850

mulberrymetal.com

1-gang extra-duty in-use cover, plastic, standard depth

 mulberrymetal.com/shop/1-gang-extra-duty-in-use-cover-plastic-standard-depth

Roll over image to zoom in or Right-click to save image









1. 
2. 
3. 
4. 



Mulberry Metal Products

Category: Extra Duty While-In-Use Covers

Application: Protects receptacles, switches and plugs in dry, damp or wet locations while they are in use.

Material: High impact polycarbonate

Categories: 1-gang, plastic, Extra Duty in Use Covers

SPECIFICATIONS

FINISH	CAT. NO. / UPC
CLEAR / GRAY BASE	30981 UPC 095327309813
SOLID WHITE	30981W UPC 095327309219
SOLID BRONZE	30981Z UPC 095327309226
SOLID GRAY	30981G UPC 095327309202

TECHNICAL INFORMATION

Category: Extra Duty While-In-Use Covers

Application: Protects receptacles, switches and plugs in dry, damp or wet locations while they are in use.

Material: High impact polycarbonate

Gang: 1

Openings: Duplex, GFI, toggle and six round openings: 1-1/8, 1-1/4 in., 1-3/8 in., 1-9/16 in., 1-11/16 in. and 2-1/8 in.

Orientation: Horizontal or vertical

Depth: 2-3/4 inches

Mounting: box or device

Finishes: Choice of solid gray, white or bronze or a gray base with a clear lid.

Applicable Standard : NEC 2017 –Article 406.9 (A) & (B) (1) Extra Duty

Certification: c-UL-us

Product Features:

- Made of durable UV stabilized, high-impact polycarbonate.
- Meets or exceeds all NEC requirements for an 'Extra Duty' rating.
- NEMA 3R Rated.
- Can be mounted horizontally or vertically.
- Three snap-in inserts provide multiple device openings.
- Lockable cover; lock hasp measures 1/4 inch in inner diameter.
- Includes an attached gasket and mounting hardware.

Packaging: Individually packaged (shrink wrapped and bar coded)

Box Quantity: 8 pcs.