

2-gang extra-duty in-use cover, plastic, standard depth

 mulberrymetal.com/shop/2-gang-extra-duty-in-use-cover-plastic-standard-depth



Roll over image to zoom in or Right-click to save image

Mulberry Metal Products

Category: Extra Duty While-In-Use Covers

Application: Protects receptacles, switches and plugs in dry, damp or wet locations while they are in use.

Material: High impact polycarbonate

Categories: [2-gang](#), [plastic](#), [Extra Duty in Use Covers](#)

SPECIFICATIONS

FINISH

CAT. NO. / UPC

CLEAR / GRAY BASE **30982**
UPC 095327309820

TECHNICAL INFORMATION

Category: Extra Duty While In-Use Covers

Application: Protects receptacles, switches and plugs in dry, damp or wet locations while they are in use.

Material: High impact polycarbonate

Gang: 2

Openings: Comes with seven inserts. (2) duplex, (2) GFI inserts, plus, (2) inserts with a toggle opening and three round openings—1-1/4 in., 1-3/8 in. and 1-9/16 in. There is also (1) larger 2-gang insert with a centered toggle opening, as well as 1-1/8, 1-1/4 in, 1-3/8 in, 1-9/16 in., 1-11/16 in., 2-1/8 in., 2-1/4 in. and 2-7/16 in. round openings.

Orientation: vertical

Depth: 2-3/4 inches

Mounting: box or device

Finishes: gray base with a clear lid.

Certification: NEC 2017 –Article 406.9 (A) & (B) (1) Extra Duty

Certification: c-UL-us

Product Features:

- Made of durable UV stabilized, high-impact polycarbonate.
- Meets or exceeds all NEC requirements for an 'Extra Duty' rating.
- NEMA 3R Rated.
- Seven snap-in inserts provide multiple device openings.
- Lockable cover; lock hasp measures 1/4 inch in inner diameter.
- Includes an attached gasket and mounting hardware.

Packaging: Individually packaged (shrink wrapped and bar coded)

Box Quantity: 6 pcs.

