A19-9-E26-922/30-F-C-WGD

Project:	Туре:	Prepared By:	Date:		
		Filament L	Features and Benefits Replacement for conventional decorative lamps Filament LED construction gives a unique traditional look and feel for decorative and ambient applications Produces rich and vibrant colors, >90CRI Rated for use in enclosed and open fixtures in dry and damp locations Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs Title 20 Compliant, ENERGY STAR Compliant, UL Listed Smooth warm to dim transition between 2200K to 3000K color temperatures		
		Produces r Rated for u Longer life			
Ļ	31	Smooth w			
LISTED FCC	192552005456	Energy STAR			
Performance	Color Accurac	y (CRI):	Base Type:		
Product Type:	>90 CRI		E26 Edison		
Decorative	Electrical		Endcap Material:		
Input Wattage:	Power Factor:		Nickel-Aluminum		
9W	>0.7				
	Dimmehler		Enclosure Material: Glass		
Lumens (Nominal): 810lm	Dimmable: Yes				
			Optical		
Efficacy:	Flicker:		Beam Angle:		
90lm/W	<30%		360°		
L70 Lifespan: Operating Temperature:			Other		
15,000-Hour LED lifespan based on IES L	M-70 results -20°C to 45°C (-	4°F to 113°F)	Warranty:		
Wattage Equivalency: 60W Incandescent			RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end		
Compliance	Operating Fre	quency:	user, including coverage of light output, color stability, driver performance and fixture finish. RAB's		
Enclosed Fixtures:	50/60Hz	- •	warranty is subject to all terms and conditions found		
Suitable for use in enclosed fixtures Construction		1	at <u>rablighting.com/warranty.</u>		

LED Characteristics

2200K/3000K

Construction Bulb Shape: A19 RAB

A19-9-E26-922/30-F-C-WGD

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	10.8	8.1	11
PALLET	1080	44.09	38.74	26.67

